

## Weather Based Irrigation Controllers Qualifying Products List as of May 12, 2020

Only WBICs that are on EPA WaterSense certified qualify for SoCal Water\$mart rebates.

For more information about EPA WaterSense certified WBICs, visit:

<http://www.epa.gov/WaterSense/products/controltech.html>

Symbols (X, \*, +, #, etc.) indicate that one or more letters or numbers may be used in place of the symbol to indicate a feature that does not affect efficiency.

<u>BRAND</u>	<u>MODEL</u>	<u>BRAND</u>	<u>MODEL</u>
Aeon Matrix	LTEyyxx	Aeon Matrix	LTPyyxx
Aeon Matrix	YDNyyxx	Aeon Matrix	PROyyxx
Baseline	BL-1000X-XX	Baseline	BL-3200X-XX
Blossom	AWICD-0100	Blossom	AWICD-0080
Calsense	CS3-XX-XXX, YY	Calsense	CS3-2W-XXX, YY
Cyber-Rain	01XCIP016-24	Cyber-Rain	01XCIP008-24
Cyber-Rain	01XCIP016-1W	Cyber-Rain	01XCIP024-1W
Cyber-Rain	01XCIP008-1W	Cyber-Rain	01XCIPS16-24
Cyber-Rain	01XCIPS08-24	Cyber-Rain	01XCIPS16-900
Cyber-Rain	01XCIPS24-900	Cyber-Rain	01XCIPS08-900
Cyber-Rain	01XCIPA08	Cyber-Rain	01XCIPC16
Cyber-Rain	01XCIPC08	Cyber-Rain	01XCIPC08-G
Cyber-Rain	01XCISC16-G	Cyber-Rain	01XCISC08-G
DIG Corporation	LEIT-2ET	DIG Corporation	LEIT-2ET-x
Etwater	105	Etwater	205
Etwater	204W-*	GreenIQ	GIQ-SYS-US-16C2
GreenIQ	GIQ-SYS-US-16C1	GreenIQ	GIQ-SYS-US-8C2
GreenIQ	GIQ-SYS-US-8C1	GreenIQ	GIQ-USWIF-HS1/EN
H2OPro	HA-1060-8	Hunter	HCC-800M
Hunter	HCC-800PL	Hunter	HCC-800PP
Hunter	HCC-800SS	Hunter	HC-1200i
Hunter	HC-1201i*	Hunter	HC-600i
Hunter	HC-601i*	Hunter	HPC-401*
Hunter	HPC-400	Hunter	PHC-1200i
Hunter	PHC-1201*	Hunter	PHC-1201i*
Hunter	PHC-1200	Hunter	PHC-2400i
Hunter	PHC-2401*	Hunter	PHC-2401i*
Hunter	PHC-2400	Hunter	PHC-600i
Hunter	PHC-601*	Hunter	PHC-601i*
Hunter	PHC-600	HydroPoint	WTPRO2S-B-X-CH1
HydroPoint	WTPRO2S-B-X-CH2	HydroPoint	WTPRO2S-B-X-CH4
HydroPoint	WTPRO2S-B-X-CH5	HydroPoint	WTPRO2S-B-X-CH7
HydroPoint	WTPRO2S-B-X-CWM	HydroPoint	WTPRO2S-B-X-SPH
HydroPoint	WTPRO2S-B-X-SPS	HydroPoint	WTPRO2S-B-X-SPT
HydroPoint	WTPRO2S-B-X-SWM	HydroPoint	WTPRO2S-C-X-CH1
HydroPoint	WTPRO2S-C-X-CH2	HydroPoint	WTPRO2S-C-X-CH4
HydroPoint	WTPRO2S-C-X-CH5	HydroPoint	WTPRO2S-C-X-CH7
HydroPoint	WTPRO2S-C-X-CWM	HydroPoint	WTPRO2S-C-X-SPH
HydroPoint	WTPRO2S-C-X-SPS	HydroPoint	WTPRO2S-C-X-SPT
HydroPoint	WTPRO2S-C-X-SWM	HydroPoint	WTPRO3-1224-PRO3UPG

## Weather Based Irrigation Controllers Qualifying Products List as of May 12, 2020

Only WBICs that are on EPA WaterSense certified qualify for SoCal Water\$mart rebates.

For more information about EPA WaterSense certified WBICs, visit:

<http://www.epa.gov/WaterSense/products/controltech.html>

Symbols (X, \*, +, #, etc.) indicate that one or more letters or numbers may be used in place of the symbol to indicate a feature that does not affect efficiency.

<u>BRAND</u>	<u>MODEL</u>	<u>BRAND</u>	<u>MODEL</u>
HydroPoint	WTPRO3-3048-PRO3UPG	HydroPoint	WTPRO3-3048-PRO3UPG (CH7)
HydroPoint	WTPRO3-C-12-CH1-UPG	HydroPoint	WTPRO3-C-12-CH2-UPG
HydroPoint	WTPRO3-C-12-CH4-UPG	HydroPoint	WTPRO3-C-12-CH5-UPG
HydroPoint	WTPRO3-C-18-CH1-UPG	HydroPoint	WTPRO3-C-18-CH2-UPG
HydroPoint	WTPRO3-C-18-CH4-UPG	HydroPoint	WTPRO3-C-18-CH5-UPG
HydroPoint	WTPRO3-C-24-CH1-UPG	HydroPoint	WTPRO3-C-24-CH2-UPG
HydroPoint	WTPRO3-C-24-CH4-UPG	HydroPoint	WTPRO3-C-24-CH5-UPG
HydroPoint	WTPRO3-C-30-CH1-UPG	HydroPoint	WTPRO3-C-30-CH2-UPG
HydroPoint	WTPRO3-C-30-CH4-UPG	HydroPoint	WTPRO3-C-30-CH5-UPG
HydroPoint	WTPRO3-C-36-CH1-UPG	HydroPoint	WTPRO3-C-36-CH2-UPG
HydroPoint	WTPRO3-C-36-CH4-UPG	HydroPoint	WTPRO3-C-36-CH5-UPG
HydroPoint	WTPRO3-C-42-CH1-UPG	HydroPoint	WTPRO3-C-42-CH2-UPG
HydroPoint	WTPRO3-C-42-CH4-UPG	HydroPoint	WTPRO3-C-42-CH5-UPG
HydroPoint	WTPRO3-C-48-CH1-UPG	HydroPoint	WTPRO3-C-48-CH2-UPG
HydroPoint	WTPRO3-C-48-CH4-UPG	HydroPoint	WTPRO3-C-48-CH5-UPG
HydroPoint	WTPRO3-C-X-CH1-*	HydroPoint	WTPRO3-C-X-CH2-*
HydroPoint	WTPRO3-C-X-CH4-*	HydroPoint	WTPRO3-C-X-CH5-*
HydroPoint	WTPRO3-C-X-CH7-*	HydroPoint	WTPRO3-C-X-CWM-*
HydroPoint	WTPRO3-C-X-SPH-*	HydroPoint	WTPRO3-C-X-SPS-*
HydroPoint	WTPRO3-C-X-SPT-*	HydroPoint	WTPRO3-C-X-STW-*
HydroPoint	WTPRO3-C-X-SWM-*	HydroPoint	WTLC-C-X-PL
HydroPoint	WTLC-C-X-PL-F	HydroPoint	WTOXR-1224-PROUPG
HydroPoint	WTOXR-1224-PROUPG-CH7	HydroPoint	WTOXR-3048-PROUPG
HydroPoint	WTOXR-3048-PROUPG-CH7	HydroPoint	WTOXR-72-PROUPG
HydroPoint	WTOXR-72-PROUPG-CH7	HydroPoint	WTOXR-96-PROUPG
HydroPoint	WTOXR-96-PROUPG-CH7	HydroPoint	WTOXR-C-X-CH1-*
HydroPoint	WTOXR-C-X-CH2-*	HydroPoint	WTOXR-C-X-CH4-*
HydroPoint	WTOXR-C-X-CH5-*	HydroPoint	WTOXR-C-X-CH7-*
HydroPoint	WTOXR-C-X-CH8-*	HydroPoint	WTOXR-C-X-CWM-*
HydroPoint	WTOXR-C-X-SPH-*	HydroPoint	WTOXR-C-X-SPS-*
HydroPoint	WTOXR-C-X-SPT-*	HydroPoint	WTOXR-C-X-STW-*
HydroPoint	WTOXR-C-X-SWM-*	HydroPoint	WTSY-C-X-PL
HydroPoint	WTSY-C-X-PL-F	Hydro-Rain	04082
Hydro-Rain	04082L	Hydro-Rain	04080
Hydro-Rain	04080L	Hydro-Rain	04050
Hydro-Rain	04060	Netafim USA	NLC-100S
Netafim USA	NLC-100D	NETRO	Pixie-1
NETRO	Spark-16	NETRO	Spark-8
NETRO	Sprite-12	NETRO	Sprite-12-INT

## Weather Based Irrigation Controllers Qualifying Products List as of May 12, 2020

Only WBICs that are on EPA WaterSense certified qualify for SoCal Water\$mart rebates.

For more information about EPA WaterSense certified WBICs, visit:

<http://www.epa.gov/WaterSense/products/controltech.html>

Symbols (X, \*, +, #, etc.) indicate that one or more letters or numbers may be used in place of the symbol to indicate a feature that does not affect efficiency.

<u>BRAND</u>	<u>MODEL</u>	<u>BRAND</u>	<u>MODEL</u>
NETRO	Sprite-6	NETRO	Sprite-6-INT
Nxeco	HWN12-100	Nxeco	HWN12-200
Nxeco	HWN8-200	Nxeco	HWQ12-100
Nxeco	HWT18-100	Orbit	21005
Orbit	21835	Orbit	94995
Orbit	96505	Orbit	94550
Orbit	94872	Orbit	96050
Orbit	96872	Orbit	57950
Orbit	91950	Orbit	94546
Orbit	94870	Orbit	96046
Orbit	96870	Orbit	57946
Orbit	91946	Orbit	57915
Orbit	91915	Orbit	94915
Orbit	96915	Orbit	57925
Orbit	91925	Orbit	94925
Orbit	96925	Orbit	21830
Orbit	91830	Orbit	21004
Orbit	94990	Orbit	96504
Orbit	21006	Orbit	94991
Orbit	96506	Rachio	12ZULW-C*
Rachio	16ZULW-C*	Rachio	8ZULW-C*
Rachio	16ZULW-B*	Rachio	16ZULWB*
Rachio	16ZULWBPRO*	Rachio	Iro 16 Zone
Rachio	8ZULWB*	Rachio	Iro 8 Zone
Rachio	12ZULWC*	Rachio	16ZULW*
Rachio	16ZULWC*	Rachio	8ZULW*
Rachio	8ZULW-B*	Rachio	8ZULWBPRO*
Rachio	8ZULWC*	Rain Bird	ST80-2.0
Rain Bird	ST81-2.0	RainMachine	SPK3-12
RainMachine	SPK3-16	RainMachine	SPK2-8
RainMachine	SPK5-16	RainMachine	SPK5-8
RAINMASTER	DX3-DPSB56	RAINMASTER	DX3-DPSB56M8C
RAINMASTER	DX3-DPSB56M8CP	RAINMASTER	DX3-DPSB56M8U
RAINMASTER	DX3-DPSB56M8UP	RAINMASTER	DX3-DPSB56M8W
RAINMASTER	DX3-DPSB56M8WP	RAINMASTER	DX3-DPSB56P
RAINMASTER	DX3-DPSB64	RAINMASTER	DX3-DPSB64M8C
RAINMASTER	DX3-DPSB64M8CP	RAINMASTER	DX3-DPSB64M8U
RAINMASTER	DX3-DPSB64M8UP	RAINMASTER	DX3-DPSB64M8W
RAINMASTER	DX3-DPSB64M8WP	RAINMASTER	DX3-DPSB64P
RAINMASTER	DX3-DPSB72	RAINMASTER	DX3-DPSB72M8C

## Weather Based Irrigation Controllers Qualifying Products List as of May 12, 2020

Only WBICs that are on EPA WaterSense certified qualify for SoCal Water\$mart rebates.

For more information about EPA WaterSense certified WBICs, visit:

<http://www.epa.gov/WaterSense/products/controltech.html>

Symbols (X, \*, +, #, etc.) indicate that one or more letters or numbers may be used in place of the symbol to indicate a feature that does not affect efficiency.

<u>BRAND</u>	<u>MODEL</u>	<u>BRAND</u>	<u>MODEL</u>
RAINMASTER	DX3-DPSB72M8CP	RAINMASTER	DX3-DPSB72M8U
RAINMASTER	DX3-DPSB72M8UP	RAINMASTER	DX3-DPSB72M8W
RAINMASTER	DX3-DPSB72M8WP	RAINMASTER	DX3-DPSB72P
RAINMASTER	DX3-DPSB80	RAINMASTER	DX3-DPSB80M8C
RAINMASTER	DX3-DPSB80M8CP	RAINMASTER	DX3-DPSB80M8U
RAINMASTER	DX3-DPSB80M8UP	RAINMASTER	DX3-DPSB80M8W
RAINMASTER	DX3-DPSB80M8WP	RAINMASTER	DX3-DPSB80P
RAINMASTER	DX3-DPSB88	RAINMASTER	DX3-DPSB88M8C
RAINMASTER	DX3-DPSB88M8CP	RAINMASTER	DX3-DPSB88M8U
RAINMASTER	DX3-DPSB88M8UP	RAINMASTER	DX3-DPSB88M8W
RAINMASTER	DX3-DPSB88M8WP	RAINMASTER	DX3-DPSB88P
RAINMASTER	DX3-DPSB96	RAINMASTER	DX3-DPSB96M8C
RAINMASTER	DX3-DPSB96M8CP	RAINMASTER	DX3-DPSB96M8U
RAINMASTER	DX3-DPSB96M8UP	RAINMASTER	DX3-DPSB96M8W
RAINMASTER	DX3-DPSB96M8WP	RAINMASTER	DX3-DPSB96P
RAINMASTER	DX3-PPED08	RAINMASTER	DX3-PPED08M8C
RAINMASTER	DX3-PPED08M8CP	RAINMASTER	DX3-PPED08M8U
RAINMASTER	DX3-PPED08M8UP	RAINMASTER	DX3-PPED08M8W
RAINMASTER	DX3-PPED08M8WP	RAINMASTER	DX3-PPED08P
RAINMASTER	DX3-PPED16	RAINMASTER	DX3-PPED16M8C
RAINMASTER	DX3-PPED16M8CP	RAINMASTER	DX3-PPED16M8U
RAINMASTER	DX3-PPED16M8UP	RAINMASTER	DX3-PPED16M8W
RAINMASTER	DX3-PPED16M8WP	RAINMASTER	DX3-PPED16P
RAINMASTER	DX3-PPED24	RAINMASTER	DX3-PPED24M8C
RAINMASTER	DX3-PPED24M8CP	RAINMASTER	DX3-PPED24M8U
RAINMASTER	DX3-PPED24M8UP	RAINMASTER	DX3-PPED24M8W
RAINMASTER	DX3-PPED24M8WP	RAINMASTER	DX3-PPED24P
RAINMASTER	DX3-PPED32	RAINMASTER	DX3-PPED32M8C
RAINMASTER	DX3-PPED32M8CP	RAINMASTER	DX3-PPED32M8U
RAINMASTER	DX3-PPED32M8UP	RAINMASTER	DX3-PPED32M8W
RAINMASTER	DX3-PPED32M8WP	RAINMASTER	DX3-PPED32P
RAINMASTER	DX3-PPED40	RAINMASTER	DX3-PPED40M8C
RAINMASTER	DX3-PPED40M8CP	RAINMASTER	DX3-PPED40M8U
RAINMASTER	DX3-PPED40M8UP	RAINMASTER	DX3-PPED40M8W
RAINMASTER	DX3-PPED40M8WP	RAINMASTER	DX3-PPED40P
RAINMASTER	DX3-PPED48	RAINMASTER	DX3-PPED48M8C
RAINMASTER	DX3-PPED48M8CP	RAINMASTER	DX3-PPED48M8U
RAINMASTER	DX3-PPED48M8UP	RAINMASTER	DX3-PPED48M8W
RAINMASTER	DX3-PPED48M8WP	RAINMASTER	DX3-PPED48P
RAINMASTER	DX3-PPEDTW	RAINMASTER	DX3-PPEDTWM8C

## Weather Based Irrigation Controllers Qualifying Products List as of May 12, 2020

Only WBICs that are on EPA WaterSense certified qualify for SoCal Water\$mart rebates.

For more information about EPA WaterSense certified WBICs, visit:

<http://www.epa.gov/WaterSense/products/controltech.html>

Symbols (X, \*, +, #, etc.) indicate that one or more letters or numbers may be used in place of the symbol to indicate a feature that does not affect efficiency.

<u>BRAND</u>	<u>MODEL</u>	<u>BRAND</u>	<u>MODEL</u>
RAINMASTER	DX3-PPEDTWM8CP	RAINMASTER	DX3-PPEDTWM8U
RAINMASTER	DX3-PPEDTWM8UP	RAINMASTER	DX3-PPEDTWM8W
RAINMASTER	DX3-PPEDTWM8WP	RAINMASTER	DX3-PPEDTWP
RAINMASTER	DX3-PSB08	RAINMASTER	DX3-PSB08M8C
RAINMASTER	DX3-PSB08M8CP	RAINMASTER	DX3-PSB08M8U
RAINMASTER	DX3-PSB08M8UP	RAINMASTER	DX3-PSB08M8W
RAINMASTER	DX3-PSB08M8WP	RAINMASTER	DX3-PSB08P
RAINMASTER	DX3-PSB16	RAINMASTER	DX3-PSB16M8C
RAINMASTER	DX3-PSB16M8CP	RAINMASTER	DX3-PSB16M8U
RAINMASTER	DX3-PSB16M8UP	RAINMASTER	DX3-PSB16M8W
RAINMASTER	DX3-PSB16M8WP	RAINMASTER	DX3-PSB16P
RAINMASTER	DX3-PSB24	RAINMASTER	DX3-PSB24M8C
RAINMASTER	DX3-PSB24M8CP	RAINMASTER	DX3-PSB24M8U
RAINMASTER	DX3-PSB24M8UP	RAINMASTER	DX3-PSB24M8W
RAINMASTER	DX3-PSB24M8WP	RAINMASTER	DX3-PSB24P
RAINMASTER	DX3-PSB32	RAINMASTER	DX3-PSB32M8C
RAINMASTER	DX3-PSB32M8CP	RAINMASTER	DX3-PSB32M8U
RAINMASTER	DX3-PSB32M8UP	RAINMASTER	DX3-PSB32M8W
RAINMASTER	DX3-PSB32M8WP	RAINMASTER	DX3-PSB32P
RAINMASTER	DX3-PSB40	RAINMASTER	DX3-PSB40M8C
RAINMASTER	DX3-PSB40M8CP	RAINMASTER	DX3-PSB40M8U
RAINMASTER	DX3-PSB40M8UP	RAINMASTER	DX3-PSB40M8W
RAINMASTER	DX3-PSB40M8WP	RAINMASTER	DX3-PSB40P
RAINMASTER	DX3-PSB48	RAINMASTER	DX3-PSB48M8C
RAINMASTER	DX3-PSB48M8CP	RAINMASTER	DX3-PSB48M8U
RAINMASTER	DX3-PSB48M8UP	RAINMASTER	DX3-PSB48M8W
RAINMASTER	DX3-PSB48M8WP	RAINMASTER	DX3-PSB48P
RAINMASTER	DX3-PSBTW	RAINMASTER	DX3-PSBTWM8C
RAINMASTER	DX3-PSBTWM8CP	RAINMASTER	DX3-PSBTWM8U
RAINMASTER	DX3-PSBTWM8UP	RAINMASTER	DX3-PSBTWM8W
RAINMASTER	DX3-PSBTWM8WP	RAINMASTER	DX3-PSBTWP
RAINMASTER	DX3-PWM08	RAINMASTER	DX3-PWM08M8C
RAINMASTER	DX3-PWM08M8CP	RAINMASTER	DX3-PWM08M8U
RAINMASTER	DX3-PWM08M8UP	RAINMASTER	DX3-PWM08M8W
RAINMASTER	DX3-PWM08M8WP	RAINMASTER	DX3-PWM08P
RAINMASTER	DX3-PWM16	RAINMASTER	DX3-PWM16M8C
RAINMASTER	DX3-PWM16M8CP	RAINMASTER	DX3-PWM16M8U
RAINMASTER	DX3-PWM16M8UP	RAINMASTER	DX3-PWM16M8W
RAINMASTER	DX3-PWM16M8WP	RAINMASTER	DX3-PWM16P
RAINMASTER	DX3-PWM24	RAINMASTER	DX3-PWM24M8C

## Weather Based Irrigation Controllers Qualifying Products List as of May 12, 2020

Only WBICs that are on EPA WaterSense certified qualify for SoCal Water\$mart rebates.

For more information about EPA WaterSense certified WBICs, visit:

<http://www.epa.gov/WaterSense/products/controltech.html>

Symbols (X, \*, +, #, etc.) indicate that one or more letters or numbers may be used in place of the symbol to indicate a feature that does not affect efficiency.

<u>BRAND</u>	<u>MODEL</u>	<u>BRAND</u>	<u>MODEL</u>
RAINMASTER	DX3-PWM24M8CP	RAINMASTER	DX3-PWM24M8U
RAINMASTER	DX3-PWM24M8UP	RAINMASTER	DX3-PWM24M8W
RAINMASTER	DX3-PWM24M8WP	RAINMASTER	DX3-PWM24P
RAINMASTER	DX3-PWM32	RAINMASTER	DX3-PWM32M8C
RAINMASTER	DX3-PWM32M8CP	RAINMASTER	DX3-PWM32M8U
RAINMASTER	DX3-PWM32M8UP	RAINMASTER	DX3-PWM32M8W
RAINMASTER	DX3-PWM32M8WP	RAINMASTER	DX3-PWM32P
RAINMASTER	DX3-PWM40	RAINMASTER	DX3-PWM40M8C
RAINMASTER	DX3-PWM40M8CP	RAINMASTER	DX3-PWM40M8U
RAINMASTER	DX3-PWM40M8UP	RAINMASTER	DX3-PWM40M8W
RAINMASTER	DX3-PWM40M8WP	RAINMASTER	DX3-PWM40P
RAINMASTER	DX3-PWM48	RAINMASTER	DX3-PWM48M8C
RAINMASTER	DX3-PWM48M8CP	RAINMASTER	DX3-PWM48M8U
RAINMASTER	DX3-PWM48M8UP	RAINMASTER	DX3-PWM48M8W
RAINMASTER	DX3-PWM48M8WP	RAINMASTER	DX3-PWM48P
RAINMASTER	DX3-PWMTW	RAINMASTER	DX3-PWMTWM8C
RAINMASTER	DX3-PWMTWM8CP	RAINMASTER	DX3-PWMTWM8U
RAINMASTER	DX3-PWMTWM8UP	RAINMASTER	DX3-PWMTWM8W
RAINMASTER	DX3-PWMTWM8WP	RAINMASTER	DX3-PWMTWP
RAINMASTER	DX3-SPED08	RAINMASTER	DX3-SPED08M8C
RAINMASTER	DX3-SPED08M8CP	RAINMASTER	DX3-SPED08M8U
RAINMASTER	DX3-SPED08M8UP	RAINMASTER	DX3-SPED08M8W
RAINMASTER	DX3-SPED08M8WP	RAINMASTER	DX3-SPED08P
RAINMASTER	DX3-SPED16	RAINMASTER	DX3-SPED16M8C
RAINMASTER	DX3-SPED16M8CP	RAINMASTER	DX3-SPED16M8U
RAINMASTER	DX3-SPED16M8UP	RAINMASTER	DX3-SPED16M8W
RAINMASTER	DX3-SPED16M8WP	RAINMASTER	DX3-SPED16P
RAINMASTER	DX3-SPED24	RAINMASTER	DX3-SPED24M8C
RAINMASTER	DX3-SPED24M8CP	RAINMASTER	DX3-SPED24M8U
RAINMASTER	DX3-SPED24M8UP	RAINMASTER	DX3-SPED24M8W
RAINMASTER	DX3-SPED24M8WP	RAINMASTER	DX3-SPED24P
RAINMASTER	DX3-SPED32	RAINMASTER	DX3-SPED32M8C
RAINMASTER	DX3-SPED32M8CP	RAINMASTER	DX3-SPED32M8U
RAINMASTER	DX3-SPED32M8UP	RAINMASTER	DX3-SPED32M8W
RAINMASTER	DX3-SPED32M8WP	RAINMASTER	DX3-SPED32P
RAINMASTER	DX3-SPED40	RAINMASTER	DX3-SPED40M8C
RAINMASTER	DX3-SPED40M8CP	RAINMASTER	DX3-SPED40M8U
RAINMASTER	DX3-SPED40M8UP	RAINMASTER	DX3-SPED40M8W
RAINMASTER	DX3-SPED40M8WP	RAINMASTER	DX3-SPED40P
RAINMASTER	DX3-SPED48	RAINMASTER	DX3-SPED48M8C

## Weather Based Irrigation Controllers Qualifying Products List as of May 12, 2020

Only WBICs that are on EPA WaterSense certified qualify for SoCal Water\$mart rebates.

For more information about EPA WaterSense certified WBICs, visit:

<http://www.epa.gov/WaterSense/products/controltech.html>

Symbols (X, \*, +, #, etc.) indicate that one or more letters or numbers may be used in place of the symbol to indicate a feature that does not affect efficiency.

<u>BRAND</u>	<u>MODEL</u>	<u>BRAND</u>	<u>MODEL</u>
RAINMASTER	DX3-SPED48M8CP	RAINMASTER	DX3-SPED48M8U
RAINMASTER	DX3-SPED48M8UP	RAINMASTER	DX3-SPED48M8W
RAINMASTER	DX3-SPED48M8WP	RAINMASTER	DX3-SPED48P
RAINMASTER	DX3-SPEDHY08	RAINMASTER	DX3-SPEDHY08M8C
RAINMASTER	DX3-SPEDHY08M8CP	RAINMASTER	DX3-SPEDHY08M8U
RAINMASTER	DX3-SPEDHY08M8UP	RAINMASTER	DX3-SPEDHY08M8W
RAINMASTER	DX3-SPEDHY08M8WP	RAINMASTER	DX3-SPEDHY08P
RAINMASTER	DX3-SPEDHY16	RAINMASTER	DX3-SPEDHY16M8C
RAINMASTER	DX3-SPEDHY16M8CP	RAINMASTER	DX3-SPEDHY16M8U
RAINMASTER	DX3-SPEDHY16M8UP	RAINMASTER	DX3-SPEDHY16M8W
RAINMASTER	DX3-SPEDHY16M8WP	RAINMASTER	DX3-SPEDHY16P
RAINMASTER	DX3-SPEDHY24	RAINMASTER	DX3-SPEDHY24M8C
RAINMASTER	DX3-SPEDHY24M8CP	RAINMASTER	DX3-SPEDHY24M8U
RAINMASTER	DX3-SPEDHY24M8UP	RAINMASTER	DX3-SPEDHY24M8W
RAINMASTER	DX3-SPEDHY24M8WP	RAINMASTER	DX3-SPEDHY24P
RAINMASTER	DX3-SPEDHY32	RAINMASTER	DX3-SPEDHY32M8C
RAINMASTER	DX3-SPEDHY32M8CP	RAINMASTER	DX3-SPEDHY32M8U
RAINMASTER	DX3-SPEDHY32M8UP	RAINMASTER	DX3-SPEDHY32M8W
RAINMASTER	DX3-SPEDHY32M8WP	RAINMASTER	DX3-SPEDHY32P
RAINMASTER	DX3-SPEDHY40	RAINMASTER	DX3-SPEDHY40M8C
RAINMASTER	DX3-SPEDHY40M8CP	RAINMASTER	DX3-SPEDHY40M8U
RAINMASTER	DX3-SPEDHY40M8UP	RAINMASTER	DX3-SPEDHY40M8W
RAINMASTER	DX3-SPEDHY40M8WP	RAINMASTER	DX3-SPEDHY40P
RAINMASTER	DX3-SPEDHY48	RAINMASTER	DX3-SPEDHY48M8C
RAINMASTER	DX3-SPEDHY48M8CP	RAINMASTER	DX3-SPEDHY48M8U
RAINMASTER	DX3-SPEDHY48M8UP	RAINMASTER	DX3-SPEDHY48M8W
RAINMASTER	DX3-SPEDHY48M8WP	RAINMASTER	DX3-SPEDHY48P
RAINMASTER	DX3-SPEDTW	RAINMASTER	DX3-SPEDTWM8C
RAINMASTER	DX3-SPEDTWM8CP	RAINMASTER	DX3-SPEDTWM8U
RAINMASTER	DX3-SPEDTWM8UP	RAINMASTER	DX3-SPEDTWM8W
RAINMASTER	DX3-SPEDTWM8WP	RAINMASTER	DX3-SPEDTWP
RAINMASTER	DX3-SWM08	RAINMASTER	DX3-SWM08M8C
RAINMASTER	DX3-SWM08M8CP	RAINMASTER	DX3-SWM08M8U
RAINMASTER	DX3-SWM08M8UP	RAINMASTER	DX3-SWM08M8W
RAINMASTER	DX3-SWM08P	RAINMASTER	DX3-SWM16
RAINMASTER	DX3-SWM16M8C	RAINMASTER	DX3-SWM16M8CP
RAINMASTER	DX3-SWM16M8U	RAINMASTER	DX3-SWM16M8UP
RAINMASTER	DX3-SWM16M8W	RAINMASTER	DX3-SWM16M8WP
RAINMASTER	DX3-SWM16P	RAINMASTER	DX3-SWM24
RAINMASTER	DX3-SWM24M8C	RAINMASTER	DX3-SWM24M8CP

## Weather Based Irrigation Controllers Qualifying Products List as of May 12, 2020

Only WBICs that are on EPA WaterSense certified qualify for SoCal Water\$mart rebates.

For more information about EPA WaterSense certified WBICs, visit:

<http://www.epa.gov/WaterSense/products/controltech.html>

Symbols (X, \*, +, #, etc.) indicate that one or more letters or numbers may be used in place of the symbol to indicate a feature that does not affect efficiency.

<u>BRAND</u>	<u>MODEL</u>	<u>BRAND</u>	<u>MODEL</u>
RAINMASTER	DX3-SWM24M8U	RAINMASTER	DX3-SWM24M8UP
RAINMASTER	DX3-SWM24M8W	RAINMASTER	DX3-SWM24M8WP
RAINMASTER	DX3-SWM24P	RAINMASTER	DX3-SWM32
RAINMASTER	DX3-SWM32M8C	RAINMASTER	DX3-SWM32M8CP
RAINMASTER	DX3-SWM32M8U	RAINMASTER	DX3-SWM32M8UP
RAINMASTER	DX3-SWM32M8W	RAINMASTER	DX3-SWM32M8WP
RAINMASTER	DX3-SWM32P	RAINMASTER	DX3-SWM40
RAINMASTER	DX3-SWM40M8C	RAINMASTER	DX3-SWM40M8CP
RAINMASTER	DX3-SWM40M8U	RAINMASTER	DX3-SWM40M8UP
RAINMASTER	DX3-SWM40M8W	RAINMASTER	DX3-SWM40M8WP
RAINMASTER	DX3-SWM40P	RAINMASTER	DX3-SWM48
RAINMASTER	DX3-SWM48M8C	RAINMASTER	DX3-SWM48M8CP
RAINMASTER	DX3-SWM48M8U	RAINMASTER	DX3-SWM48M8UP
RAINMASTER	DX3-SWM48M8W	RAINMASTER	DX3-SWM48M8WP
RAINMASTER	DX3-SWM48P	RAINMASTER	DX3-SWMTW
RAINMASTER	DX3-SWMTWM8C	RAINMASTER	DX3-SWMTWM8CP
RAINMASTER	DX3-SWMTWM8U	RAINMASTER	DX3-SWMTWM8UP
RAINMASTER	DX3-SWMTWM8W	RAINMASTER	DX3-SWMTWM8WP
RAINMASTER	DX3-SWMTWP	RAINMASTER	EGP-16-i
RAINMASTER	EGP-16-i-S	RAINMASTER	EGP-16-i-SPED
RAINMASTER	EGP-24-i	RAINMASTER	EGP-24-i-S
RAINMASTER	EGP-24-i-SPED	RAINMASTER	EGP-32-i
RAINMASTER	EGP-32-i-S	RAINMASTER	EGP-32-i-SPED
RAINMASTER	EGP-40-i	RAINMASTER	EGP-40-i-S
RAINMASTER	EGP-40-i-SPED	RAINMASTER	EGP-48-i
RAINMASTER	EGP-48-i-S	RAINMASTER	EGP-48-i-SPED
RAINMASTER	EGP-8-i	RAINMASTER	EGP-8-i-PSB
RAINMASTER	EGP-8-i-S	RAINMASTER	EGP-8-i-SPED
RAINMASTER	EGP-TWi	RAINMASTER	EGP-TWi-PSD
RAINMASTER	EGP-TWi-S	RAINMASTER	EGP-TWi-SPED
RAINMASTER	TW-EGi-36-SPEDT	RAINMASTER	TW-EGi-36-ST
RAINMASTER	TW-EGi-36-T	RAINMASTER	DX12-PSB
RAINMASTER	DX12-PWM	RAINMASTER	DX12-SPED
RAINMASTER	DX12-SWM	RAINMASTER	DX12-UFEN
RAINMASTER	DX18-PSB	RAINMASTER	DX18-PWM
RAINMASTER	DX18-SPED	RAINMASTER	DX18-SWM
RAINMASTER	DX18-UFEN	RAINMASTER	DX24-PSB
RAINMASTER	DX24-PWM	RAINMASTER	DX24-SPED
RAINMASTER	DX24-SWM	RAINMASTER	DX24-UFEN
RAINMASTER	DX30-PSB	RAINMASTER	DX30-PWM



## Weather Based Irrigation Controllers Qualifying Products List as of May 12, 2020

Only WBICs that are on EPA WaterSense certified qualify for SoCal WaterSmart rebates.

For more information about EPA WaterSense certified WBICs, visit:

<http://www.epa.gov/WaterSense/products/controltech.html>

Symbols (X, \*, +, #, etc.) indicate that one or more letters or numbers may be used in place of the symbol to indicate a feature that does not affect efficiency.

<u>BRAND</u>	<u>MODEL</u>	<u>BRAND</u>	<u>MODEL</u>
RAINMASTER	DX30-SPED	RAINMASTER	DX30-SWM
RAINMASTER	DX30-UFEN	RAINMASTER	DX36-PSB
RAINMASTER	DX36-PWM	RAINMASTER	DX36-SPED
RAINMASTER	DX36-SWM	RAINMASTER	DX36-UFEN
RAINMASTER	DX42-PSB	RAINMASTER	DX42-PWM
RAINMASTER	DX42-SPED	RAINMASTER	DX42-SWM
RAINMASTER	DX42-UFEN	RAINMASTER	DX48-PSB
RAINMASTER	DX48-PWM	RAINMASTER	DX48-SPED
RAINMASTER	DX48-SWM	RAINMASTER	DX48-UFEN
RAINMASTER	DX6-PSB	RAINMASTER	DX6-PWM
RAINMASTER	DX6-SPED	RAINMASTER	DX6-SWM
RAINMASTER	DX6-UFEN	RAINMASTER	TW-DX48-PSB
RAINMASTER	TW-DX48-PWM	RAINMASTER	TW-DX48-SPED-T
RAINMASTER	TW-DX48-SWM	RAINMASTER	RME12EGi-B
RAINMASTER	RME12EGi-SB	RAINMASTER	RME12EGi-SPED
RAINMASTER	RME12EGi-SPEDT	RAINMASTER	RME12EGi-ST
RAINMASTER	RME12EGi-T	RAINMASTER	RME12EGi-W
RAINMASTER	RME18EGi-B	RAINMASTER	RME18EGi-SB
RAINMASTER	RME18EGi-SPED	RAINMASTER	RME18EGi-SPEDT
RAINMASTER	RME18EGi-ST	RAINMASTER	RME18EGi-T
RAINMASTER	RME18EGi-W	RAINMASTER	RME24EGi-B
RAINMASTER	RME24EGi-SB	RAINMASTER	RME24EGi-SPED
RAINMASTER	RME24EGi-SPEDT	RAINMASTER	RME24EGi-ST
RAINMASTER	RME24EGi-T	RAINMASTER	RME24EGi-W
RAINMASTER	RME30EGi-B	RAINMASTER	RME30EGi-SB
RAINMASTER	RME30EGi-SPED	RAINMASTER	RME30EGi-SPEDT
RAINMASTER	RME30EGi-ST	RAINMASTER	RME30EGi-T
RAINMASTER	RME30EGi-W	RAINMASTER	RME36EGi-B
RAINMASTER	RME36EGi-SB	RAINMASTER	RME36EGi-SPED
RAINMASTER	RME36EGi-SPEDT	RAINMASTER	RME36EGi-ST
RAINMASTER	RME36EGi-T	RAINMASTER	RME36EGi-W
RAINMASTER	RME6EGi-B	RAINMASTER	RME6EGi-SB
RAINMASTER	RME6EGi-SPED	RAINMASTER	RME6EGi-SPEDT
RAINMASTER	RME6EGi-ST	RAINMASTER	RME6EGi-T
RAINMASTER	RME6EGi-W	Scotts	70003-1
Scotts	70001-1	Scotts	70001A2
Smart Rain	V038984	Smart Rain	SR03
Spruce	PS-SPRWIFI16-01	Toro	TIS-X-*
Toro	TIS-XP-*	Toro	53855
TORO	SBAyyyz	TORO	SCxxyyyz

## Weather Based Irrigation Controllers Qualifying Products List as of May 12, 2020

Only WBICs that are on EPA WaterSense certified qualify for SoCal Water\$mart rebates.

For more information about EPA WaterSense certified WBICs, visit:

<http://www.epa.gov/WaterSense/products/controltech.html>

Symbols (X, \*, +, #, etc.) indicate that one or more letters or numbers may be used in place of the symbol to indicate a feature that does not affect efficiency.

<u>BRAND</u>	<u>MODEL</u>	<u>BRAND</u>	<u>MODEL</u>
TORO	SBxxyyyz	TORO	SBDyyyz
TORO	SBWxxyyyz	Tucor, Inc.	LTD
Tucor, Inc.	RKD	Tucor, Inc.	RKD+
Tucor, Inc.	RKS	Tucor, Inc.	RKS+
Tucor, Inc.	RKW+	Weathermatic	SL9600TW-SLW1
Weathermatic	SL9600TW-SLW5	Weathermatic	SL1612-SLW15
Weathermatic	SL1616-SLW15	Weathermatic	SL1604-SLW15
Weathermatic	SL1608-SLW15	Weathermatic	SL1612-SLW1
Weathermatic	SL1616-SLW1	Weathermatic	SL1604-SLW1
Weathermatic	SL1608-SLW1	Weathermatic	SL1612-SLW5
Weathermatic	SL1616-SLW5	Weathermatic	SL1604-SLW5
Weathermatic	SL1608-SLW5	Weathermatic	SL1620-SLW15
Weathermatic	SL1620-SLW1	Weathermatic	SL1620-SLW5
Weathermatic	SL1624-SLW15	Weathermatic	SL1624-SLW1
Weathermatic	SL1624-SLW5	Weathermatic	SL2412-SLW5
Weathermatic	SL2424-SLW5	Weathermatic	SL4812-SLW15
Weathermatic	SL4824-SLW15	Weathermatic	SL4836-SLW15
Weathermatic	SL4848-SLW15	Weathermatic	SL4812-SLW1
Weathermatic	SL4824-SLW1	Weathermatic	SL4836-SLW1
Weathermatic	SL4848-SLW1	Weathermatic	SL4812-SLW5
Weathermatic	SL4824-SLW5	Weathermatic	SL4836-SLW5
Weathermatic	SL4848-SLW5	Weathermatic	SL804-SLW15
Weathermatic	SL806-SLW15	Weathermatic	SL808-SLW15
Weathermatic	SL804-SLW1	Weathermatic	SL806-SLW1
Weathermatic	SL808-SLW1	Weathermatic	SL804-SLW5
Weathermatic	SL806-SLW5	Weathermatic	SL808-SLW5

For more information, call **888-376-3314** or visit [www.bewaterwise.com](http://www.bewaterwise.com)